

Subject Index to Volume 27

- A peculiar type of post-encephalitic/encephalopathic epilepsy, 531
Abducens nerve palsy, 155
Absent speech, 88
Acetylation, 331
ACTH, 326
Acute encephalitis with refractory, repetitive partial seizures (AERRPS), 531
Acute encephalopathy, 477
Acute recurrent mononeuropathy, 152
Acute respiratory distress syndrome, 395
Adaptation, 5
Adolescents, 228, 349
Adult rats, 259
Adverse effects, 326
Alzheimers disease, 246
AMPA, 275
Angelman syndrome, 80, 88, 95, 101, 383, 389
Anti-Gal-C IgM, 431
Anti-saccade task, 579
Antisense oligodeoxynucleotide, 488
Apgar score, 17
Apnoea and syncope, 125
Apolipoprotein, 551
Aspergers disorder, 345
Asphyxia, 517
Aspiration, 395
Astrocytes, 259
Astrogliosis, 259
Ataxia, 88, 185
ATP7B, 551
Atrophic change, 458
Attention deficit hyperactivity disorder, 279, 340, 345, 544
Attention-deficit/hyperactivity disorder (ADHD), 233
Autism, 321, 509
Autism/autistic-like behaviour, 365
Autoantibody to glutamate receptor Glu ϵ 2, 531
Autonomic dysfunction, 574
Autonomic nervous system, 558
Autonomic seizures, 125
Autosomal dominant inheritance, 172
- Bacterial endocarditis, 434
Basal ganglia calcifications, 201
Behavioural outcome, 218
Bells palsy, 504
Benign childhood partial epilepsy, 46
Benign evolution, 172
Benign infantile convulsion, 554
Benign myoclonic epilepsy in infancy, 218
Bilateral striatal necrosis, 62
Birth defects, 259
Boston Qualitative Scoring System, 564
- Brain abnormalities, 358
Brain disease, 30
Brain magnetic resonance images, 291
Brain volumetry, 148
Brainstem, 509
Brainstem neoplasm, 58
Bronchospasms, 70
Brown–Vialeto–Van laere syndrome, 443
Bulbar palsy, 443
Buspirone, 437
- Calpain, 517
Carbamazepine, 554
Cardiac dysfunction, 415
Case–control study, 17
Caspase-3, 517
Cataplexy, 108, 114
CBCL, 345
Cell culture, 570
Central sulcus, 22
Cerebellum, 570
Cerebral atrophy, 592
Cerebral blood flow, 406
Cerebral blood volume, 406
Cerebral calcifications, 189
Cerebral cortex, 259
Cerebral venous sinus thrombosis, 155
Channelopathy, 172
Charcot-Marie-Tooth disease, 152
Childhood, 28, 185, 224
Childhood epilepsy, 5
Children, 141, 228, 349, 395, 504, 564
Chinese, 141
Choline, 595
Chorioretinal abnormalities, 164
Chromosome, 118, 370
Chromosome aberrations, 127
Chronic tics, 349
Clinical onset, 39
Closed-loop gain, 579
Coagulation and fibrinolysis, 415
Cockayne syndrome, 34
Coeliac disease, 189
Coffin–Lowry syndrome, 108, 114
Cognitive bias task, 419
Cognitive function, 253
Cognitive impairments, 494
Compensation, 544
Conduction block, 152
Congenital bilateral perisylvian syndrome, 53
Congenital DMI, 291
Congenital fiber type dysproportion myopathy, 447

- Congenital hemiplegia, 451
 Congenital muscular dystrophy, 308
 Context-dependent reasoning, 419
 Coping, 5
 Copper, 551
 Copper-histidine therapy, 297
 Cord factor, 17
 Corpus callosum agenesis, 164
Corpus callosum, 455
 Cortical dysplasia, 22
 Critical illness polyneuropathy, 535
 CSF lymphocytosis, 201
 Cyst formation, 58
 Cytochrome *c*, 517
 Cytogenetics, 370
 Cytokine, 434
 Cytokines, 477, 483

 Deafness, 443
 Del 1p36 syndrome, 358
 Del(4p) syndrome, 362
 Delirium, 271
 Dementia, 246
 Development, 95
 Developmental abnormality, 291
 Developmental delay/mental retardation, 358
 Developmental disabilities, 141
 Developmental regression, 592
 DHPLC, 207
 Diazepam, 554
 Differential diagnosis, 80
 Diffusion-weighted imaging, 30
 Dipole stability, 46
 Disease phenotype, 266
 Distal muscular dystrophy, 589
 DNA diagnosis, 389
 DNA methylation, 389
 Dorsal raphe, 472
 Down syndrome, 246
 Downs syndrome, 434
 Drop episodes, 114
 Drugs, 465
 DSM-IV, 345
 Duchenne muscular dystrophy, 400, 488
 Duchenne muscular dystrophy (DMD), 415
 Dysferlin, 589
 Dysfunction, 437
 Dyskinesia, 527
 Dyslexia, 207
 Dysmorphism, 118
 Dystrophin, 488

 E6AP, 88
 Early identification, 141
 EEG, 80, 95, 362, 558
 EEG dipole, 46
 Efficacy, 326
 Electroencephalogram, 271
 Electroencephalographic findings, 383
 Electroencephalography, 101, 246
 Encephalopathy, 30
 Endorphin, 465
 Endotracheal granuloma, 70
 Enriched environment, 275
 Epigenetics, 266
 Epilepsy, 22, 53, 95, 118, 125, 127, 189, 246, 253, 311, 365, 370
 Epilepsy with myoclonic absences, 178
 Epileptic seizures, 80, 101, 383
 Epinephrine, 574
 Ethnic, 551
 Etiology, 326
 Exanthema subitum, 527
 Excitotoxicity, 517
 Executive function, 233, 564
 Exon skipping, 488

 Facial nerve, 504
 Factor V Leiden, 451
 Falsely localising sign, 155
 Familial encephalopathy, 201
 Fast titration, 286
 Fazio–Londe disease, 443
 Febrile seizures, 127
 Fetal, 451
 Fetal alcohol syndrome, 259
 Fibroblast, 400
 Focal dystonia, 598
 Fodrin breakdown product, 517
FOXP2, 207
 Frontal eye fields, 579
 Frontal lobe atrophy, 148
 Frontal lobe epilepsy, 419
 Frontosubcortical dementia, 62
 Functional magnetic resonance imaging, 544

 GC/MS, 39
 Genes responsible for epileptogenesis, 127
 Genetic imprinting, 101
 Genetic study, 172
 Genomic imprinting, 389, 494
 Genotype, 551
 Gentamicin, 400
 GI dismotility, 447
 Globus pallidus, 34
 GluR2, 275
 GluR4, 275
 GLUT1 deficiency syndrome, 311
 Glutamate, 570
 Gradenigo syndrome, 155

 Heart defects, 358
 Heart rate, 574
 Heart rate variability, 558
 Hemimegalencephaly, 458
 Hereditary neuropathy with liability to pressure palsies, 152
 Herpes simplex encephalitis, 304
 High-function pervasive developmental disorder, 345
 High-functioning autistic disorder, 233
 Histone, 331
¹H-magnetic resonance spectroscopy, 340
 Hormonal imprinting, 465
 Human herpes virus-6, 30
 Human herpes virus-6 (HHV-6), 527
 5-Hydroxytryptamine, 472
 Hypercapnia, Near infrared spectroscopy, 406
 Hyperekplexia, 108
 Hypersensitivity of the airway, 70
 Hypofrontality, 544
 Hypoglycorrhachia, 311
 Hypoxic-ischemic encephalopathy, 66

 Immature brain, 517

- Immune-mediated process, 304
 Immunohistochemistry, 34
 Imprinting defect, 389
 Indomethacin, 17
 Infantile bilateral striatal necrosis, 527
 Infantile spasms, 164
 Influenza, 271
 Innateness, 419
 Interferon alpha, 301
 Interferon- α , 201
 Interleukin-6, 483
 Interstitial cells of Cajal, 447
 Intracranial cysts, 164
 Intractable seizures, 378
 Intrathecal route, 301
 Intravenous immunoglobulin, 431
 Intraventricular hemorrhage, 483
 Inv dup(15) syndrome, 365
 Involuntary movement, 527
 Isodicentric chromosome 15 syndrome [idic(15)], 365
- Jabbour clinical stage, 148
 Japan, 224
 Juvenile amyotrophic lateral sclerosis, 443
- Kainic acid, 570
 Kaplan–Meier plot, 353
 Ketogenic diet, 311
 Kluver–Bucy syndrome, 304
- Lactate, 595
 Larynx, 598
 Late imprinting, 465
 Latency, 579
 Lateralization, 419
 l-carnitine, 570
 L-dopa, 185
 Learning disorders (LD), 579
 Lenticular nucleus, 340
 Leptomeningeal dissemination, 58
 Leukoencephalopathy, 73
 Long survival, 574
 Longitudinal study, 458
 Long-term follow-up, 53
 Long-term prognosis, 383
- Magnesium sulfate, 17
 Magnetic resonance imaging, 30, 58
 Magnetic resonance imaging (MRI), 160, 527
 Magnetic resonance spectroscopy, 308
 Magnetoencephalography, 22
 Male Rett syndrome, 439
 Massive γ -globulin therapy, 531
 Maternal ethanol intake, 472
MBD1, 321
MECP2, 321, 331, 439
 Memory-guided saccade task, 579
 Menkes disease, 297
 Mental health, 5
 Mental retardation, 73, 127, 291, 365
 Methyl CpG-binding protein 2, 266
 Methyl-CpG binding protein genes, 321
 Methyl-CpG-binding protein 2 gene (*MECP2*), 211
 Methylphenidate, 544
 MIBG, 574
 Microcephalic osteodysplastic primordial ‘dwarfism’ (MOPD) type II, 237
- Microdeletion, 378
 Mild hypothermia therapy, 531
 Miyoshi myopathy, 589
 Molecular therapy, 488
 Monosomy 1p36, 358
 Monosomy, 370
 MOPD types I and III, 237
 Movement disorders, 108
 MR angiography, 155
 MR image, 595
 MR spectroscopy, 595
 MRI, 431, 458
 Multifocal spikes, 46
 Multiple congenital anomalies/mental retardation, 378
 Multiple organ dysfunctions, 477
 Multiple sclerosis, 224
 Muscle hypotonia, 358
 Mutation, 551
 Mycoplasma infection, 504
 Mycoplasma pneumonia, 431
Mycoplasma pneumoniae, 62
 Mycotic aneurysm, 434
 Myoclonic absences, 178
 Myoclonic seizures, 178
 MyoD, 400
 Myotonic dystrophy type 1, 291
- N*-acetylaspartate, 340, 595
 Natural history, 353
 Neurodegeneration, 517
 Neurofibromatosis, 595
 Neurologic impairment, 331
 Neurological deterioration, 311
 Neuroprotection, 570
 Neuropsychological outcome, 218
 NeuroScope, 509
 Newborn, 517
 Newborn screening, 39
 Nonconvulsive status epilepticus, 95
 Nucleotide, 34
- Obsessive-compulsive disorder, 62
 Occipital calcifications, 189
 Occipital epilepsy, 189
 Onset age, 218
 Open-loop gain, 579
 Orbital pseudotumor, 160
 Organic acidemia, 39
 Otitis media, 155
 Outcome, 39, 135, 224
 Oxidative damage, 34
 Oxygenation, 437
- 1p36 deletion syndrome, 378
 4p- syndrome, 362
 P300, 253
 Pachygyria, 237
 Panayiotopoulos syndrome, 46
 Papilloma of the choroid plexus, 164
 Parasympathetic nerves, 509
 Parental origin of X, 494
 Paroxysmal, 185
 Partial seizure, 172
 Pediatric case, 535
 Pedigree analysis, 494
 Perinatal factors, 17

- Perinatal imprinting, 465
 Periodic hyperthermia, 455
 Peripheral myelin protein 22 gene, 152
 Perisylvian cortical dysplasia, 53
 Periventricular leukomalacia, 17
 Perseveration, 233
 Pervasive developmental disorders, 228
 Pharmacokinetics, 286
 Phenotype, 353, 551
 Pia mater, 259
 Plasmapheresis, 431
 Plasticity, 419
 Pneumonia, 395
 Postinfectious encephalopathy, 304
 Postprandial EEG analysis, 311
 Prader-Willi syndrome, 101
 Predictors, 135
 Preeclampsia, 17
 Prefrontal cortex, 279
 Prefrontal lesion, 419
 Prematurity, 483
 Preserved speech variant, 439
 Preterm, 558
 Primary somatosensory area, 22
 Progression, 353
 Prothrombin fragment (F1 + 2), 415
 Proton magnetic resonance spectroscopy, 297
 Pseudobulbar palsy, 53

 7q, 207
 15q deletion, 383
 15q11.2, 88
 18q-syndrome, 125

 R133C, 439
 Read-through, 400
 Recurrent Bells palsy, 504
 Rehabilitation, 141
 Relapse, 304
 Respirator, 574
 Respiratory, 437
 Respiratory distress, 70
 Rett syndrome, 266
 Rett syndrome, 331, 437
 Rett syndrome (RTT), 211
 Rey-Osterrieth Complex Figure, 564
 R-R interval, 574
 RSK2 gene, 114

 SCN1A, 424
 SCN2A, 424
 Scoliosis, 589
 Seckel syndrome, 237
 Seizure, 246
 Seizures 88, 358, 362
 Serotonin, 465
 Severe motor and intellectual disabilities (SMID), 70
 Severe motor and intellectual disability, 395
 Severe myoclonic epilepsy in infancy (SMEI), 424
 Shapiros syndrome, 455
 Single nucleotide polymorphism (SNP), 211
 Slow wave EEG bursts, 558
 Smooth-pursuit eye movements, 579
 Sodium channel, 424
 Somatosensory evoked potential, 22
 Spasticity, 73

 SPECT, 279
 Spinal muscular atrophy type 1, 574
 Splicing enhancer sequence, 488
 Startle epilepsy and epilepsy, 108
 Steroid, 504
 Steroid pulse therapy, 531
 Steroid therapy, 160
 Stop codon, 400
 Strabismus, 160
 Stridor, 598
 Stroke, 451
 Stroop effect, 544
 Subacute orbital myositis, 160
 Subacute sclerosing panencephalitis, 301
 Subacute sclerosing panencephalitis (SSPE), 148
 Subtype, 340
 Supernumerary marker chromosomes, 365
 Superoxide dismutase, 34
 Sural nerve biopsy, 535
 Sympathetic nerves, 509¹H-magnetic resonance spectroscopy, 340

 Temporal lobe cysts, 73
 Thalamic calcifications, 66
 Three-dimensional magnetic resonance imaging, 148
 Thrombin-antithrombin complex (TAT), 415
 Thrombophilia, 451
 Tissue oxygenation, 406
 Tonic manifestation, 178
 Tonic upgaze, 185
 Topiramate, 228
 Tourette syndrome, 349
 Tracheomalasia, 70
 Treatment protocol, 286
 Trisomy 13, 370, 18, 370, 21, 246, 21, 370
 Tryptophan hydroxylase, 472
 Tuberos sclerosis complex, 458
 Twin pregnancy, 66

 UBE3A, 88
 Ubiquitin, 88
 Ultrasound contrast agent, 406
 Ultrasound image densitometry, 406
 Unidentified bright objects, 595
 Uniparental disomy, 389

 Very low birth weight infant, 483
 Virus infection, 504
 Visual and auditory number assays, 253
 Vitamin B₁₂ deficiency, 592
 Vocal cord, 598

 Weight control, 228
 West syndrome, 135, 286, 326
 Wilsons disease, 551
 Wisconsin card sorting test, 233
 Wolf-Hirschhorn syndrome, 362

 Xeroderma pigmentosum, 598
 Xeroderma pigmentosum group A, 34
 X-inactivation, 211, 266
 X-linked adrenoleukodystrophy, 353
 X-linked inheritance, 164
 X-monosomy, 494

 Zonisamide, 286